

Veneto Textures Collection Ebook

t a f f a r d f a b r i c s



VENETO TEXTURES COLLECTION

35470

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35470-01



35470-02



35470-03



35470-04



35470-05



35470-06




35470-07

taffardfabrics

35471

Content: 100% Pes
Width: 57 inches


Wyzenbeek: 35000
FR: Passes NFPA 260




35471-01



35471-02




35471-03




35471-04




35471-05




35471-06



35471-07



35471-08




35471-09

taffardfabrics

35472

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35472-01



35472-02




35472-03




35472-04




35472-05



35472-06



35472-07




35472-08

taffardfabrics

35473

Content: 5% Li + 40% Vi + 55% Pes
Width: 56 inches


Wyzenbeek: 50000
FR: Passes NFPA 260




35473-01




35473-02



35473-03




35473-04



35473-05



35473-06



35473-07

taffardfabrics


35474

Content: 100% Pes
Width: 57 inches


Wyzenbeek: 30000
FR: Passes NFPA 260




35474-01



35474-02



35474-03




35474-04




35474-05




35474-06




35474-07



35474-08



35474-09



35474-10

taffardfabrics


35475

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260




35475-01




35475-02




35475-03



35475-04



35475-05




35475-06

taffardfabrics


35475

Content: 100% Pes
Width: 57 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260




35475-07



35475-08




35475-09




35475-10



35475-11



35475-12



35475-13



35475-14

taffardfabrics

35476

Content: 80% Pes + 20% Vi
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35476-01



35476-02



35476-03



35476-04



35476-05



35476-06



35476-07



35476-08




35476-09

taffardfabrics

35477

Content: 83% Pes + 10% Vi + 7% Ac
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260




35477-01



35477-02




35477-03



35477-04



35477-05



35477-06



35477-07



35477-08

taffardfabrics

35478

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35478-01



35478-02




35478-03



35478-04



35478-05



35478-06




35478-07




35478-08



35478-09



35478-10



35478-11

taffardfabrics

35479

Content: 80% Pes + 20% Vi
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35479-01



35479-02




35479-03




35479-04



35479-05



35479-06



35479-07




35479-08



35479-09



35479-10



35479-11

— taffardfabrics —

35480

Content: 100% Pes
Width: 57 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260



35480-01



35480-02




35480-03



35480-04




35480-05



35480-06



35480-07



35480-08

— taffardfabrics —

35480

Content: 5% Li + 40% Vi + 55% Pes
Width: 56 inches

Wyzenbeek: 50000
FR: Passes NFPA 260



35480-09



35480-10



35480-11



35480-12



35480-13



35480-14



35480-15

taffardfabrics

35481

Content: 11% Ac + 89% Pes
Width: 57 inches


Wyzenbeek: 70,000
FR: Passes NFPA 260



35481-01




35481-02



35481-03



35481-04



35481-05



35481-06

taffardfabrics


35481

Content: 11% Ac + 89% Pes
Width: 57 inches


Wyzenbeek: 70,000
FR: Passes NFPA 260



35481-07




35481-08



35481-09



35481-10



35481-11



35481-12

taffardfabrics

35482

Content: 72% Pes + 28% Acrylic
Width: 57 inches

Wyzenbeek: 90000
FR: Passes NFPA 260



35482-01




35482-02



35482-03



35482-04



35482-05



35482-06



35482-07

taffardfabrics

35483

Content: 85% Pes + 15% Vi
Width: 55 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260




35483-01



35483-02




35483-03




35483-04



35483-05



35483-06



35483-07



35483-08

taffardfabrics


35483

Content: 85% Pes + 15% Vi
Width: 55 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260



35483-09



35483-10



35483-11



35483-12



35483-13



35483-14




35483-15

taffardfabrics


35484

Content: 85% Pes + 15% Vi
Width: 55 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260




35484-01




35484-02



35484-03



35484-04



35484-05

taffardfabrics


35485

Content: 85% Pes + 15% Vi
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35485-01



35485-02



35485-03



35485-04



35485-05



35485-06

taffardfabrics


35486

Content: 55% Pes + 40% Vi + 5% Li
Width: 57 inches


Wyzenbeek: 20000
FR: Passes NFPA 260




35486-01



35486-02




35486-03



35486-04



35486-05



35486-06



35486-07

taffardfabrics

35487

Content: 83% Pes + 17% Co
Width: 55 inches

Wyzenbeek: 45000
FR: Passes NFPA 260



35487-01




35487-02



35487-03




35487-04



35487-05




35487-06




35487-07



35487-08



35487-09




35487-10

— taffardfabrics —

35488

Content: 2.5% Wo + 5% Li + 7.5% Vi + 15% Ac + 70% Pes
Width: 56 inches


Wyzenbeek: 100,000
FR: Passes NFPA 260




35488-01




35488-02




35488-03



35488-04



35488-05




35488-06



35488-07




35488-08



35488-09



35488-10



35488-11

— taffardfabrics —

35489

Content: 6% Li + 39% Vi + 55% Pes
Width: 56 inches

Wyzenbeek: 30000
FR: Passes NFPA 260



35489-01



35489-02



35489-03




35489-04

taffardfabrics

35490

Content: 48% Pes + 45% Vi + 7% Li
Width: 55 inches

Wyzenbeek: 35000
FR: Passes NFPA 260




35490-02



35490-03



35490-04




35490-05

taffardfabrics

35491

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 30000
FR: Passes NFPA 260



35491-01



35491-02



35491-03



35491-04



35491-05



35491-06

taffardfabrics

35492

Content: 90% Pes + 10% Li
Width: 57 inches

Wyzenbeek: 45000
FR: Passes NFPA 260




35492-01



35492-02



35492-03



35492-04

taffardfabrics

35493

Content: 100% Pes
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35493-01



35493-02



35493-03



35493-04



35493-05



35493-06



35493-07

taffardfabrics

35494

Content: 33% Vi + 67% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35494-01



35494-02



35494-03



35494-04



35494-05




35494-06




35494-07




35494-08



35494-09



35494-10



35494-11

taffardfabrics

Veneto Textures Collection

Item	Composition	Width	Wyzenbeek	FR	Repeat	Colors
35470	100% Pes	57"	1,00,000	Passes NFPA 260. Can be treated to pass NFPA 701	.75" x .5"	7
35471	100% Pes	57"	35,000		N/A	9
35472	100% Pes	57"	1,00,000		N/A	8
35473	5% Li + 40% Vi + 55% Pes	56"	50,000		N/A	7
35474	100% Pes	57"	30,000		.25" x .5"	10
35475	100% Pes	57"	1,00,000		N/A	14
35476	80% Pes + 20% Vi	55"	1,00,000		N/A	9
35477	83% Pes + 10% Vi + 7% Ac	55"	1,00,000		N/A	8
35478	100% Pes	57"	1,00,000		N/A	11
35479	80% Pes + 20% Vi	57"	1,00,000		N/A	11
35480	100% Pes	57"	1,00,000		N/A	15
35481	11% Ac + 89% Pes	57"	70,000		N/A	13
35482	72% Pes + 28% Acrylic	57"	90,000		N/A	7
35483	85% Pes + 15% Vi	55"	1,00,000		N/A	15
35484	85% Pes + 15% Vi	55"	1,00,000		N/A	5
35485	85% Pes + 15% Vi	55"	1,00,000		N/A	6
35486	55% Pes + 40% Vi + 5% Li	57"	20,000		3.5" x N/A	7
35487	83% Pes + 17% Co	55"	45,000		N/A	10
35488	2.5% Wo + 5% Li + 7.5% Vi + 15% Ac + 70% Pes	56"	1,00,000		N/A	11
35489	6% Li + 39% Vi + 55% Pes	56"	30,000		N/A	4
35490	48% Pes + 45% Vi + 7% Li	55"	35,000		N/A	5
35491	100% Pes	57"	30,000		N/A	7
35492	90% Pes + 10% Li	57"	45,000		N/A	4
35493	100% Pes	55"	1,00,000		N/A	7
35494	33% Vi + 67% Pes	57"	1,00,000		N/A	11

All items have a 2 week lead time from PO and payment. Expediting available for a fee.
 Additional colors, knit backing, stain gaurding and FR treatments are available. Volume discounts available.
 Call or email for more information.

t: 212.213.4670 | f: 917.591.3348 | e: taffard@taffard.com | w: www.taffard.com
 d&d showroom: 979 3rd ave., suite 800, new york, ny 10022 | design studio: 317 e 64th st, new york, ny 10065
fb.me/taffardfabrics | instagram.com/taffardfabrics | twitter.com/taffardfabrics

taffardfabrics

taffardfabrics



VENETO TEXTURES COLLECTION

35470

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35470-01



35470-02



35470-03



35470-04



35470-05



35470-06



35470-07

taffardfabrics

35471

Content: 100% Pes
Width: 57 inches

Wyzenbeek: 35000
FR: Passes NFPA 260




35471-01




35471-02



35471-03




35471-04



35471-05




35471-06



35471-07



35471-08



35471-09

taffardfabrics





35477

Content: 83% Pes + 10% Vl + 7% Ac
 Width: 55 inches

Wyzenbeek: 100,000
 FR: Passes NFPA 260



35477-01










35477-02

35477-03

35477-04

35477-05

35477-06

35477-07

35477-08

taffardfabrics

35478

Content: 100% Pes
 Width: 57 inches


Wyzenbeek: 100,000
 FR: Passes NFPA 260



35478-01













35478-02

35478-03

35478-04

35478-05

35478-06

35478-07

35478-08

35478-09

35478-10

35478-11

taffardfabrics

35479

Content: 80% Pes + 20% Vl
 Width: 57 inches

Wyzenbeek: 100,000
 FR: Passes NFPA 260



35479-01













35479-02

35479-03

35479-04

35479-05

35479-06

35479-07

35479-08

35479-09

35479-10

35479-11

taffardfabrics

35480

Content: 100% Pes

Width: 57 inches

Wyizenbeek: 100,000

FR: Passes NFPA 260

35480-01

35480-02

35480-03

35480-04

35480-05

35480-06

35480-07

35480-08

taffardfabrics

35480

Content: 55% Li + 40% Vi + 5% Pes

Width: 56 inches

Wyizenbeek: 50,000

FR: Passes NFPA 260

35480-09

35480-10

35480-11

35480-12

35480-13

35480-14

35480-15

taffardfabrics

35481

Content: 10% Ac + 90% Pes

Width: 57 inches

Wyizenbeek: 70,000

FR: Passes NFPA 260

35481-01

35481-02

35481-03

35481-04

35481-05


35481-06

taffardfabrics

35481

Content: 11% Ac + 89% Pes
Width: 57 inches

Wyzenbeek: 70,000
FR: Passes NFPA 260



35481-01



35481-08




35481-06



35481-10



35481-11



35481-12

taffardfabrics

35482

Content: 72% Pes + 28% Acrylic
Width: 57 inches

Wyzenbeek: 90,000
FR: Passes NFPA 260



35482-01



35482-02



35482-03



35482-04



35482-05



35482-06



35482-07

taffardfabrics

35483

Content: 85% Pes + 15% Vl
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35483-01



35483-02



35483-03



35483-04



35483-05



35483-06



35483-07



35483-08

taffardfabrics

35483

Content: 85% Pes + 15% Vl
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35483-00



35483-01



35483-02



35483-03



35483-04



35483-05



35483-06

taffardfabrics

35484

Content: 85% Pes + 15% Vl
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35484-01



35484-02



35484-03



35484-04



35484-05

taffardfabrics

35485

Content: 85% Pes + 15% Vl
Width: 55 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260



35485-01



35485-02



35485-03



35485-04



35485-05



35485-06

taffardfabrics

35486

Content: 55% Pes + 40% Vi + 5% Li
Width: 57 inches

Wyzenbeek: 20000
FR: Passes NFPA 260



35486-01



35486-02



35486-03




35486-04



35486-05



35486-06



35486-07

taffardfabrics

35487

Content: 83% Pes + 17% Co
Width: 55 inches

Wyzenbeek: 45000
FR: Passes NFPA 260



35487-01



35487-02



35487-03



35487-04



35487-05



35487-06



35487-07



35487-08



35487-09



35487-10

taffardfabrics


35488

Content: 2,5% Wo + 5% Li + 7,5% Vi + 15% Ac + 70% Pes
Width: 56 inches

Wyzenbeek: 100,000
FR: Passes NFPA 260




35488-01



35488-02



35488-03



35488-04



35488-05




35488-06




35488-07



35488-08



35488-09



35488-10



35488-11

taffardfabrics

35489

Content: 6% LI + 39% VI + 55% Pes
Width: 56 inches

Wyizenbeek: 30000
FR: Passes NFPA 260



35489-01



35489-02



35489-03



35489-04

taffardfabrics

35490

Content: 48% Pes + 45% VI + 7% LI
Width: 55 inches

Wyizenbeek: 35000
FR: Passes NFPA 260



35490-02



35490-03



35490-04



35490-05

taffardfabrics

35491

Content: 100% Pes
Width: 57 inches

Wyizenbeek: 30000
FR: Passes NFPA 260




35491-01



35491-02



35491-03



35491-04



35491-05



35491-06

taffardfabrics

35492

Content: 90% Pes + 10% Lj
Width: 57 inches

Wyizenbeek: 45000
FR: Passes NFPA 260



35492-01



35492-02



35492-03



35492-04

taffardfabrics

35493

Content: 100% Pes
Width: 55 inches

Wyizenbeek: 100,000
FR: Passes NFPA 260



35493-01



35493-02



35493-03



35493-04



35493-05



35493-06



35493-07

taffardfabrics


35494

Content: 33% Vl + 67% Pes
Width: 57 inches

Wyizenbeek: 100,000
FR: Passes NFPA 260



35494-01



35494-02




35494-03



35494-04



35494-05




35494-06




35494-07




35494-08



35494-09



35494-10



35494-11

taffardfabrics

Veneto Textures Collection

Item	Composition	WVA	Repeats/cm	FR	Repeat	Colors
25476	100% Pes	91"	1,000,000		75" x 5"	7
25477	100% Pes	91"	60,000		75" x 5"	8
25478	100% Pes	91"	1,000,000		75" x 5"	8
25479	35% Li + 65% Vi + 100% Pes	96"	10,000		75" x 5"	7
25479	100% Pes	91"	10,000		25" x 5"	10
25475	100% Pes	91"	1,000,000		75" x 5"	14
25476	80% Pes + 20% Vi	91"	1,000,000		75" x 5"	8
25477	80% Pes + 20% Vi + 7% Ac	91"	1,000,000		75" x 5"	8
25478	100% Pes	91"	1,000,000		75" x 5"	11
25479	80% Pes + 20% Vi	91"	1,000,000		75" x 5"	11
25480	100% Pes	91"	1,000,000		75" x 5"	15
25481	12% Ac + 88% Pes	91"	70,000	Printed in PPA	75" x 5"	11
25482	72% Pes + 28% Acrylic	91"	90,000	250 - Can be treated to pass	75" x 5"	7
25483	85% Pes + 15% Vi	91"	1,000,000	100% 720	75" x 5"	15
25484	85% Pes + 15% Vi	91"	1,000,000		75" x 5"	5
25485	85% Pes + 15% Vi	91"	1,000,000		75" x 5"	6
25486	15% Pes + 85% Vi + 5% Li	91"	20,000		33" x 75" x 5"	7
25487	80% Pes + 20% Ce	91"	45,000		75" x 5"	10
25488	2.5% Hvy + 5% Li + 3.5% Vi + 12% Ac + 30% Pes	96"	1,000,000		75" x 5"	11
25489	45% Li + 55% Vi + 100% Pes	96"	80,000		75" x 5"	4
25490	48% Pes + 40% Vi + 7% Li	91"	15,000		75" x 5"	5
25491	100% Pes	91"	80,000		75" x 5"	7
25492	90% Pes + 10% Li	91"	45,000		75" x 5"	4
25493	100% Pes	91"	1,000,000		75" x 5"	7
25494	10% Vi + 90% Pes	91"	1,000,000		75" x 5"	11

All items have a 2 week lead time from PO and payment. Expediting available for a fee.
Additional colors, knit backing, stain guarding and FR treatments are available. Volume discounts available.
Call or email for more information.

6 212.318.6670 | 6 917.381.3348 | info@talfardfabrics.com | www.talfardfabrics.com
dtd showroom: 979 3rd ave., suite 880, new york, ny 10022 | design studio: 317 e 64th st, new york, ny 10065
www.talfardfabrics.com | info@talfardfabrics.com | www.talfardfabrics.com

talfardfabrics

Download Brochure

